



## BenQ LH500 Projecteur à focale standard 2000 ANSI lumens DLP 1080p (1920x1080) Blanc

Marque : BenQ

Code produit: 9H.JRD77.13E

Nom du produit : LH500



BenQ LH500. Luminosité du projecteur: 2000 ANSI lumens, Technologie de projection: DLP, Résolution native du projecteur: 1080p (1920x1080). Type de source lumineuse: LED, Durée de vie de la source lumineuse: 20000 h, Durée de vie de la source lumineuse (mode économique): 30000 h. Ratio de zoom: 1.1:1, Ratio de projection: 1.49-1.64, Décalage: 100%. Type d'interface série: RS-232, Version HDMI: 1.4a/1.4b. Niveau sonore: 32 dB, Niveau sonore (mode économique): 28 dB



Projector		Features	
Projector brightness *	2000 ANSI lumens	Number of OSD languages	30
Projection technology *	DLP	Noise level *	32 dB
Projector native resolution *	1080p (1920x1080)	<b>Multimedia</b>	
Contrast ratio (typical) *	20000:1	Built-in speaker(s) *	✓
Native aspect ratio *	16:9	RMS rated power	2 W
Number of colours	1.07 billion colours	<b>Design</b>	
Keystone correction, vertical	-30 - 30°	Market positioning *	Business
<b>Light source</b>		Product type *	Standard throw projector
Light source type *	LED	Product colour *	White
Service life of light source *	20000 h	Cable lock slot	✓
Service life of light source (economic mode)	30000 h	Cable lock slot type	Kensington
<b>Lens system</b>		<b>Display</b>	
Zoom ratio	1.1:1	Built-in display *	✗
Throw ratio	1.49-1.64	<b>Power</b>	
Offset	100%	Power source *	AC
<b>Video</b>		Power consumption (typical) *	165 W
Full HD *	✓	Power consumption (standby) *	0.5 W
<b>Ports &amp; interfaces</b>		AC input voltage	100 - 240 V
HDMI version	1.4a/1.4b	AC input frequency	50 - 60 Hz
USB 2.0 ports quantity	1	Auto power off	✓
Headphone outputs	1	<b>Operational conditions</b>	
Serial interface type *	RS-232	Operating temperature (T-T)	0 - 40 °C
HDMI ports quantity *	2	<b>Weight &amp; dimensions</b>	
DVI port *	✗	Width	296 mm
<b>Features</b>		Depth	229 mm
Noise level (economic mode)	28 dB		

**Features**

On Screen Display (OSD) ✓

**Weight & dimensions**

Height 119.6 mm

Weight \* 2.3 kg

**Packaging content**

Remote control included \* ✓



4718755089237

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.